

Druckluftwerkzeuge | Druckluftmotoren

- automatic tool change for robot systems
- Stainless steel housings
- Ideal for brushing
- Clockwise rotation



Technical Data




Type	EBM 38 - 19000 WS
Article Nr.	60051927
Free speed	19000 min ⁻¹
Power	380 Watt
Direction of rotation	clockwise
Air consumption	8.3 ls
Weight	1.80 kg
Recommended hose (IW) Air supply ø	8.00 mm
Recommended hose (IW) Exhaust air ø	10.00 mm

Accessories

Type	Article Nr.
Retainer 6mm QCC	60050245
Retainer 8mm QCC	60063535
Retainer 10mm QCC	60063545
Fork for quick change	60036025
Maintenance unit 1/2"	03029274
Oil trap nominal flow 2000L/min	60025986
Holder M14 x 2	60050383
Rotatable quick change chuck	60059055
Maintenance unit 1/4"	03029074
speed throttle 1/4"	9361705
bottom flange Ø 42 mm	29948415

Additional Images





M 1 : 2

EBM 38-19000 WS

MANNESMANN DEMAG				Allgemein- toleranzen		Oberflächen		Maßstab 1:1 – 1:2	
				DIN ISO 2768-mH		DIN EN ISO 1302		Werkstoff	
					Datum	Name		Einbaumotor	
				gez.	21.07.2015	Basyouni			
				gepr.	21.07.2015	Peskos			
								60051927	
								Blatt 2	
Zust.	Änd.-Nr.	Datum	Name					Ersatz für:	